

<b>AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT</b>				1. CONTRACT ID CODE	PAGE OF PAGES
2. AMENDMENT/MODIFICATION NO.		3. EFFECTIVE DATE	4. REQUISITION/PURCHASE REQ. NO.		5. PROJECT NO. <i>(If applicable)</i>
6. ISSUED BY		CODE	7. ADMINISTERED BY <i>(If other than Item 6)</i>		CODE
8. NAME AND ADDRESS OF CONTRACTOR <i>(No., street, county, State and ZIP Code)</i>				(✓)	9A. AMENDMENT OF SOLICITATION NO.
					9B. DATED <i>(SEE ITEM 11)</i>
					10A. MODIFICATION OF CONTRACT/ORDER NO.
					10B. DATED <i>(SEE ITEM 13)</i>
CODE		FACILITY CODE			

**11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS**

The above numbered solicitation is amended as set forth in Item 14. The hour and date specified for receipt of Offers  is extended,  is not extended.

Offers must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended, by one of the following methods:

(a) By completing Items 8 and 15, and returning \_\_\_\_\_ copies of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.

12. ACCOUNTING AND APPROPRIATION DATA *(If required)*

**13. THIS ITEM APPLIES ONLY TO MODIFICATIONS OF CONTRACTS/ORDERS, IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14.**

(✓)	A. THIS CHANGE ORDER IS ISSUED PURSUANT TO: <i>(Specify authority)</i> THE CHANGES SET FORTH IN ITEM 14 ARE MADE IN THE CONTRACT ORDER NO. IN ITEM 10A.
	B. THE ABOVE NUMBERED CONTRACT/ORDER IS MODIFIED TO REFLECT THE ADMINISTRATIVE CHANGES <i>(such as changes in paying office, appropriation date, etc.)</i> SET FORTH IN ITEM 14, PURSUANT TO THE AUTHORITY OF FAR 43.103(b).
	C. THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF:
	D. OTHER <i>(Specify type of modification and authority)</i>

E. IMPORTANT: Contractor  is not,  is required to sign this document and return \_\_\_\_\_ copies to the issuing office.

14. DESCRIPTION OF AMENDMENT/MODIFICATION *(Organized by UCF section headings, including solicitation/contract subject matter where feasible.)*

Except as provided herein, all terms and conditions of the document referenced in Item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect.

15A. NAME AND TITLE OF SIGNER <i>(Type or print)</i>		16A. NAME AND TITLE OF CONTRACTING OFFICER <i>(Type or print)</i>	
15B. CONTRACTOR/OFFEROR	15C. DATE SIGNED	16B. UNITED STATES OF AMERICA	16C. DATE SIGNED
<i>(Signature of person authorized to sign)</i>		BY _____ <i>(Signature of Contracting Officer)</i>	

PREVIOUS EDITION UNUSABLE

General Decision Number: CO120013 01/13/2012 CO13

Superseded General Decision Number: CO20100013

State: Colorado

Construction Type: Heavy

Counties: Alamosa, Archuleta, Baca, Bent, Chaffee, Cheyenne, Clear Creek, Conejos, Costilla, Crowley, Custer, Delta, Dolores, Eagle, Elbert, Fremont, Garfield, Gilpin, Grand, Gunnison, Hinsdale, Huerfano, Jackson, Kiowa, Kit Carson, La Plata, Lake, Las Animas, Lincoln, Logan, Mineral, Moffat, Montezuma, Montrose, Morgan, Otero, Ouray, Park, Phillips, Pitkin, Prowers, Rio Blanco, Rio Grande, Routt, Saguache, San Juan, San Miguel, Sedgwick, Summit, Teller, Washington and Yuma Counties in Colorado.

HEAVY CONSTRUCTION PROJECTS

Modification Number	Publication Date
0	01/06/2012
1	01/13/2012

ELEC0012-002 09/01/2011

ALAMOSA, ARCHULETA, BACA, BENT, CHAFFEE, CONEJOS, COSTILLA, CROWLEY, CUSTER, FREMONT, HUERFANO, KIOWA, LAS ANIMAS, MINERAL, OTERO, PROWERS, RIO GRANDE AND SAGUACHE COUNTIES

	Rates	Fringes
Electricians:		
Electrical work \$150,000 or less.....	\$ 24.25	11.83
Electrical work over \$150,000.....	\$ 26.75	11.90

-----  
ELEC0068-011 06/01/2011

CLEAR CREEK, EAGLE, GILPIN, GRAND, JACKSON, LAKE, LOGAN, MORGAN, PHILLIPS, SEDGWICK, SUMMIT, WASHINGTON AND YUMA COUNTIES

	Rates	Fringes
ELECTRICIAN.....	\$ 31.60	12.52

-----  
ELEC0111-002 09/01/2010

	Rates	Fringes
Line Construction:		
Cable Splicer.....	\$ 28.65	13.75%+4.75
Equipment Operator-		

Underground.....	\$ 25.06	12.75%+4.75
Groundmen.....	\$ 20.48	17.75%+4.75
Line Equipment Operator.....	\$ 25.74	17.75%+4.75
Lineman and Welder.....	\$ 35.81	20.75%+4.75

-----  
ELEC0113-004 06/01/2011

CHEYENNE, ELBERT, KIT CARSON, LINCOLN, PARL AND TELLER COUNTIES

	Rates	Fringes
ELECTRICIAN.....	\$ 28.55	14.46

-----  
ELEC0969-003 06/01/2009

DOLORES, GARFIELD, GUNNISON, HINSDALE, LA PLATA, MOFFAT,  
MONTEZUMA, OURAY, PITKIN, RIO BLANCO, ROUTT, SAN JUAN AND SAN  
MIGUEL COUNTIES

	Rates	Fringes
ELECTRICIAN.....	\$ 28.00	9.24

-----  
ELEC0969-010 06/01/2009

DELTA AND MONTROSE COUNTIES

	Rates	Fringes
ELECTRICIAN.....	\$ 21.31	8.92

-----  
ENGI0009-004 05/01/2011

	Rates	Fringes
Power equipment operators:		
Mechanic.....	\$ 23.82	9.22
Motor Grader: Blade-finish..	\$ 23.97	9.22
Motor Grader: Blade-rough...	\$ 23.67	9.22
Roller: self-propelled, all types over 5 tons.....	\$ 23.67	9.22
Roller: self-propelled, rubber tires under 5 tons...	\$ 23.32	9.22
Trackhoe.....	\$ 23.82	9.22

-----  
\* PLUM0003-003 01/01/2012

CLEAR CREEK, GILPIN, GRAND, JACKSON, LAKE, LOGAN, MORGAN,  
PHILLIPS, SEDGWICK, SUMMIT, WASHINGTON, AND YUMA. PARTS OF  
ELBERT, EAGLE, KIT CARSON, LINCOLN, AND PARK COUNTIES

	Rates	Fringes
PLUMBER.....	\$ 32.68	11.44

PLUM0058-010 07/01/2011

ALAMOSA, BACA, BENT, CHAFFEE, CHEYENNE, CONEJOS, COSTILLA, CROWLEY, CUSTER, ELBERT (Southern portion including towns of Elbert, Matherson and Simla), FREMONT, HUERFANO, KIOWA, KIT CARSON (Including towns of Dfalgler, Siebert, Vona, Stratton and Bethune), LAS ANIMAS, LINCOLN (Including towns of Geona and Arriba in the southern portion of the county), MINERAL, OTERO, PARK (Including towns of Fauplay, Hartsel and Lake George), PROWERS, PUEBLO, RIO GRANDE, AND SAGUACHE COUNTIES

	Rates	Fringes
PLUMBER.....	\$ 32.05	12.85

-----  
PLUM0058-012 07/01/2011

TELLER COUNTY

	Rates	Fringes
PLUMBER/PIPEFITTER Plumbers Include HVAC Work		
Pipefitters Exclude HVAC Work.....	\$ 28.05	12.35

-----  
PLUM0145-004 01/01/2011

ARCHULETA, DELTA, DOLORES, EAGLE (Eagle County is divided from where Pitkin and Lake Counties join on the north, and in a straight line to and including the town of Edwards and northerly to the south east corner of Routt County), GARFIELD, GUNNISON, HINSDALE, LA PLATA, MOFFAT, MONTEZUMA, MONTROSE, OURAY, PITKIN, RIO BLANCO, ROUTT, SAN JUAN AND SAN MIGUEL COUNTIES

	Rates	Fringes
PLUMBER.....	\$ 24.58	10.47

-----  
SUCO2001-005 12/20/2001

	Rates	Fringes
Carpenters:		
Form Building and Setting...	\$ 16.16	.82
All Other Work.....	\$ 15.72	
Cement Mason/Concrete Finisher...	\$ 14.76	2.28
Laborer, common.....	\$ 11.11	3.80
PIPEFITTER.....	\$ 18.13	1.84

Power equipment operators:

Backhoe.....	\$ 15.93	3.58
Bobcat/Skid Loader.....	\$ 20.22	4.41
Bulldozer.....	\$ 15.08	4.44
Excavator.....	\$ 15.39	
Front End Loader.....	\$ 15.86	3.59

-----  
WELDERS - Receive rate prescribed for craft performing operation to which welding is incidental.

=====  
Unlisted classifications needed for work not included within the scope of the classifications listed may be added after award only as provided in the labor standards contract clauses (29CFR 5.5 (a) (1) (ii)).

-----  
The body of each wage determination lists the classification and wage rates that have been found to be prevailing for the cited type(s) of construction in the area covered by the wage determination. The classifications are listed in alphabetical order of "identifiers" that indicate whether the particular rate is union or non-union.

Union Identifiers

An identifier enclosed in dotted lines beginning with characters other than "SU" denotes that the union classification and rate have found to be prevailing for that classification. Example: PLUM0198-005 07/01/2011. The first four letters , PLUM, indicate the international union and the four-digit number, 0198, that follows indicates the local union number or district council number where applicable , i.e., Plumbers Local 0198. The next number, 005 in the example, is an internal number used in processing the wage determination. The date, 07/01/2011, following these characters is the effective date of the most current negotiated rate/collective bargaining agreement which would be July 1, 2011 in the above example.

Union prevailing wage rates will be updated to reflect any changes in the collective bargaining agreements governing the rate.

Non-Union Identifiers

Classifications listed under an "SU" identifier were derived from survey data by computing average rates and are not union rates; however, the data used in computing these rates may include both union and non-union data. Example: SULA2004-007 5/13/2010. SU indicates the rates are not union rates, LA

indicates the State of Louisiana; 2004 is the year of the survey; and 007 is an internal number used in producing the wage determination. A 1993 or later date, 5/13/2010, indicates the classifications and rates under that identifier were issued as a General Wage Determination on that date.

Survey wage rates will remain in effect and will not change until a new survey is conducted.

---

WAGE DETERMINATION APPEALS PROCESS

1.) Has there been an initial decision in the matter? This can be:

- \* an existing published wage determination
- \* a survey underlying a wage determination
- \* a Wage and Hour Division letter setting forth a position on a wage determination matter
- \* a conformance (additional classification and rate) ruling

On survey related matters, initial contact, including requests for summaries of surveys, should be with the Wage and Hour Regional Office for the area in which the survey was conducted because those Regional Offices have responsibility for the Davis-Bacon survey program. If the response from this initial contact is not satisfactory, then the process described in 2.) and 3.) should be followed.

With regard to any other matter not yet ripe for the formal process described here, initial contact should be with the Branch of Construction Wage Determinations. Write to:

Branch of Construction Wage Determinations  
Wage and Hour Division  
U.S. Department of Labor  
200 Constitution Avenue, N.W.  
Washington, DC 20210

2.) If the answer to the question in 1.) is yes, then an interested party (those affected by the action) can request review and reconsideration from the Wage and Hour Administrator (See 29 CFR Part 1.8 and 29 CFR Part 7). Write to:

Wage and Hour Administrator  
U.S. Department of Labor  
200 Constitution Avenue, N.W.  
Washington, DC 20210

The request should be accompanied by a full statement of the interested party's position and by any information (wage payment data, project description, area practice material, etc.) that the requestor considers relevant to the issue.

3.) If the decision of the Administrator is not favorable, an

interested party may appeal directly to the Administrative Review Board (formerly the Wage Appeals Board). Write to:

Administrative Review Board  
U.S. Department of Labor  
200 Constitution Avenue, N.W.  
Washington, DC 20210

4.) All decisions by the Administrative Review Board are final.

=====

END OF GENERAL DECISION

erroneous when submitted or has become erroneous by reason of changed circumstances.

(c) A certification that any of the items in paragraph (a) of this provision exists will not necessarily result in withholding of an award under this solicitation. However, the certification will be considered in connection with a determination of the Offeror's responsibility. Failure of the Offeror to furnish a certification or provide such additional information as requested by the Contracting Officer may render the Offeror nonresponsible.

(d) Nothing contained in the foregoing shall be construed to require establishment of a system of records in order to render, in good faith, the certification required by paragraph (a) of this provision. The knowledge and information of an Offeror is not required to exceed that which is normally possessed by a prudent person in the ordinary course of business dealings.

(e) The certification in paragraph (a) of this provision is a material representation of fact upon which reliance was placed when making award. If it is later determined that the Offeror knowingly rendered an erroneous certification, in addition to other remedies available to the Government, the Contracting Officer may terminate the contract resulting from this solicitation for default.

(End of provision)

**52.211-6 Brand Name or Equal. (AUG 1999)**

**~~52.215-5 Facsimile Proposals. (OCT 1997)~~**

~~(a) *Definition.* Facsimile proposal, as used in this provision, means a proposal, revision or modification of a proposal, or withdrawal of a proposal that is transmitted to and received by the Government via facsimile machine.~~

~~(b) Offerors may submit facsimile proposals as responses to this solicitation. Facsimile proposals are subject to the same rules as paper proposals.~~

~~(c) The telephone number of receiving facsimile equipment is: 720-963-3600~~

~~(d) If any portion of a facsimile proposal received by the Contracting Officer is unreadable to the degree that conformance to the essential requirements of the solicitation cannot be ascertained from the document —~~

~~(1) The Contracting Officer immediately shall notify the offeror and permit the offeror to resubmit the proposal;~~

~~(2) The method and time for resubmission shall be prescribed by the Contracting Officer after consultation with the offeror; and~~

~~(3) The resubmission shall be considered as if it were received at the date and time of the original unreadable submission for the purpose of determining timeliness, provided the offeror complies with the time and format requirements for resubmission prescribed by the Contracting Officer.~~

~~(e) The Government reserves the right to make award solely on the facsimile proposal. However, if requested to do so by the Contracting Officer, the apparently successful offeror promptly shall submit the complete original signed proposal.~~

(End of provision)

#### **52.216-1 Type of Contract. (APR 1984)**

The Government contemplates award of a *Firm Fixed Price* contract resulting from this solicitation.

(End of provision)

#### **52.222-23 Notice of Requirement for Affirmative Action to Ensure Equal Employment Opportunity for Construction. (FEB 1999)**

(a) The offeror's attention is called to the Equal Opportunity clause and the Affirmative Action Compliance Requirements for Construction clause of this solicitation.

(b) The goals for minority and female participation, expressed in percentage terms for the Contractor's aggregate workforce in each trade on all construction work in the covered area, are as follows:

Goals for Minority Participation for Each Trade: 10.2%

Goals for Female Participation for Each Trade: 6.9%

These goals are applicable to all the Contractor's construction work performed in the covered area. If the Contractor performs construction work in a geographical area located outside of the covered area, the Contractor shall apply the goals established for the geographical area where the work is actually performed. Goals are published periodically in the *Federal Register* in notice form, and these notices may be obtained from any Office of Federal Contract Compliance Programs office.

(c) The Contractor's compliance with Executive Order 11246, as amended, and the regulations in 41 CFR 60-4 shall be based on (1) its implementation of the Equal Opportunity clause, (2) specific affirmative action obligations required by the clause entitled Affirmative Action Compliance Requirements for

submit documentation of projects on which this type of work has been performed at the preconstruction conference.

**428.05. Equipment.** Use equipment and tools designed and built to perform the work and obtain approval from the CO for their use.

**428.06. Asphalt pavement full depth patch, Type 1 (FDP-1).** This work consists of repairing distressed areas of pavement by removing and replacing the pavement and the underlying material to a depth of 10 inches.

(a) Patch Areas. Extend the repair area one foot beyond the distressed area. If patch cuts are within 2 feet of the pavement edge, extend the patch limit to the pavement edge. Make the minimum width dimension of the patch  $\frac{1}{2}$  of a travel lane (5 feet) and the minimum length dimension of the patch 3 feet.

(b) Pavement Removal. Mill completely through the pavement thickness. Asphalt millings may be used for aggregate base course backfill material. If an asphalt pavement milling machine is not used, then make a neat sawcut completely through the pavement thickness, with one pass around the perimeter of the patch area as designated by the CO. Make sawcuts a minimum depth of 4 inches, perpendicular to the roadway surface and at right angles to each other. Remove the pavement to expose subbase or subgrade. ~~Remove from the park all existing pavement, aggregate base and subgrade material within the patch limits at no additional expense to the government.~~ Excavated asphalt pavement, base, and sub-base material removed during patching operations can remain in the Park and stockpiled at the Morefield Maintenance Area at no additional expense to the government.

(c) Undercut. Remove aggregate base and subgrade material to a depth of 10 inches.

(d) Patching. Place geogrid material at the locations and at the depths indicated in the plans before placing crushed aggregate. Overlap geogrid material a minimum of one foot. Use metal pins or hooks as necessary to retain the position of geogrid material. Tension the geogrid materials by hand during placement and take care to prevent damage during backfilling. Replace geogrid damaged during placement by the Contractor at no additional expense to the government.

(e) Place and compact aggregate base in 1 lift, 4 inches thick. Apply a tack coat to all asphalt concrete surfaces within the patch area according to Section 412. Place and compact asphalt concrete pavement, in two lifts, so that the patched surface matches the same grade as the adjacent surface. Place a minimum asphalt concrete thickness of 6 inches in the patch.

**428.07. Asphalt pavement full depth patch, Type 2 (FDP-2).** This work consists of repairing distressed areas of pavement by removing and replacing the pavement and the underlying material to a depth of 4 inches.

(a) Patch Areas. Extend the repair area one foot beyond the distressed area. If patch cuts are within 2 feet of the pavement edge, extend the patch limit to the pavement edge. Make the minimum length and width dimensions of the patch 3 feet.

(b) Pavement Removal. Mill completely through the pavement thickness. Asphalt millings may be used for aggregate base course backfill material. If an asphalt pavement milling machine is not used, then make a neat sawcut completely through the pavement thickness, with one pass around the perimeter of the patch area as designated by the CO. Make sawcuts a minimum depth of 4 inches, perpendicular to the roadway surface and at right angles to each other. Remove the pavement to expose subbase or subgrade. ~~Remove from the park all existing pavement, aggregate base and subgrade material within the patch limits at no additional expense to the government.~~ **Excavated asphalt pavement, base, and sub-base material removed during patching operations can remain in the Park and stockpiled at the Morefield Maintenance Area at no additional expense to the government.**

(c) Apply a tack coat to all asphalt concrete surfaces within the patch area according to Section 412. Place and compact asphalt concrete pavement, in two lifts, so that the patched surface matches the same grade as the adjacent surface.

**428.08. Asphalt pavement patch, Type 3.** This work consists of repairing distressed areas of pavement by removing the loose or failed material and replacing the pavement with hot asphalt pavement.

(a) Patch Areas. The patch areas will be designated by the CO.

(b) Pavement Removal. The patch area will be cleaned by sweeping or other acceptable method.

(c) Apply a tack coat to all asphalt concrete surfaces within the patch area according to Section 412. Place the asphalt material either by hand or with a blade.

(d) Compact the asphalt concrete pavement so that the patched surface matches the same grade as the adjacent surface.

**428.09. Acceptance.** Construction of asphalt concrete pavement restoration will be evaluated under Subsections 106.02 and 106.04.

Aggregate will be evaluated under Section 308.

Tack coat will be evaluated under Subsections 106.02 and 106.03.

Asphalt pavement joint sealing will be evaluated under Subsection 106.04.

Asphalt concrete will be evaluated under Section 404.

Geogrid will be evaluated under subsections 106.02 and 106.03.