

AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT			1. CONTRACT ID CODE	PAGE OF PAGES
2. AMENDMENT/MODIFICATION NO.	3. EFFECTIVE DATE	4. REQUISITION/PURCHASE REQ. NO.	5. PROJECT NO. <i>(If applicable)</i>	
6. ISSUED BY	CODE	7. ADMINISTERED BY <i>(If other than Item 6)</i>	CODE	
8. NAME AND ADDRESS OF CONTRACTOR <i>(No., street, county, State and ZIP Code)</i>			(✓)	9A. AMENDMENT OF SOLICITATION NO.
				9B. DATED <i>(SEE ITEM 11)</i>
				10A. MODIFICATION OF CONTRACT/ORDER NO.
				10B. DATED <i>(SEE ITEM 13)</i>
CODE	FACILITY CODE			

11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS

The above numbered solicitation is amended as set forth in Item 14. The hour and date specified for receipt of Offers is extended, is not extended.

Offers must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended, by one of the following methods:

(a) By completing Items 8 and 15, and returning _____ copies of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.

12. ACCOUNTING AND APPROPRIATION DATA *(If required)*

13. THIS ITEM APPLIES ONLY TO MODIFICATIONS OF CONTRACTS/ORDERS, IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14.

(✓)	A. THIS CHANGE ORDER IS ISSUED PURSUANT TO: <i>(Specify authority)</i> THE CHANGES SET FORTH IN ITEM 14 ARE MADE IN THE CONTRACT ORDER NO. IN ITEM 10A.
	B. THE ABOVE NUMBERED CONTRACT/ORDER IS MODIFIED TO REFLECT THE ADMINISTRATIVE CHANGES <i>(such as changes in paying office, appropriation date, etc.)</i> SET FORTH IN ITEM 14, PURSUANT TO THE AUTHORITY OF FAR 43.103(b).
	C. THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF:
	D. OTHER <i>(Specify type of modification and authority)</i>

E. IMPORTANT: Contractor is not, is required to sign this document and return _____ copies to the issuing office.

14. DESCRIPTION OF AMENDMENT/MODIFICATION *(Organized by UCF section headings, including solicitation/contract subject matter where feasible.)*

Except as provided herein, all terms and conditions of the document referenced in Item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect.

15A. NAME AND TITLE OF SIGNER <i>(Type or print)</i>		16A. NAME AND TITLE OF CONTRACTING OFFICER <i>(Type or print)</i>	
15B. CONTRACTOR/OFFEROR	15C. DATE SIGNED	16B. UNITED STATES OF AMERICA	16C. DATE SIGNED
<i>(Signature of person authorized to sign)</i>		BY _____ <i>(Signature of Contracting Officer)</i>	

PREVIOUS EDITION UNUSABLE

Request for Technical Information – Questions relative to the plans and SCRs for this solicitation will only be accepted in writing (see Block 9 on Page A-3).

TECHNICAL QUESTIONS REGARDING THIS SOLICITATION WILL NOT BE ACCEPTED AFTER 4 P.M. ON AUGUST 17, 2012

Questions can be submitted to CFLContracts@dot.gov. Questions and answers will be posted at <http://www.cflhd.gov/contracting/construction/AdvertisedProjects.cfm>

Modifications to Bids - Bids may be modified or withdrawn by facsimile or telegraphic notice, if such notice is received **prior to the time specified for receipt of bids**. The Government will not be responsible for ANY failure attributable to the transmission or receipt of telegraphic or facsimile data. See FAR Provision 52.214-5, Submission of Bids.

FAX Number to submit modifications to bids for this project is (808) 541-2704

II. Post Award Information.

Subcontracting - FAR Clause 52.219-8, *Utilization of Small Business Concerns* states that Prime Contractors afford small business concerns, veteran-owned small business concerns, service-disabled veteran-owned small business concerns, HUBZone small business concerns, small disadvantaged business concerns, and women-owned small business concerns the maximum practicable opportunity to participate in performing contracts let by any Federal agency.

FAR Clause 52.219-9, *Small Business Subcontracting Plan, Alternate I*, requires that the large business concern who is the successful low bidder on a Federal project with an anticipated award amount exceeding \$1 million, is required to submit a subcontracting plan prior to contract award. The subcontracting plan expresses goals in terms of percentages of total planned subcontracting dollars for the use of small business, veteran-owned small business, service-disabled veteran-owned small business, HUBZone small business, small disadvantaged business, and women-owned small business concerns as subcontractors. To view and download a sample plan for subcontracting requirements, visit <http://www.cflhd.gov/contracting/construction/ReferenceLinks.cfm>. ~~If the apparent successful low bidder fails to submit an acceptable subcontracting plan acceptable to the CO within 7 days of bid opening, that bidder may be ineligible for award of the contract.~~ Prime Contractors, who are large businesses, are encouraged to post sources sought notices at the Small Business Administration's Subcontracting Network (SUB-NET) <http://web.sba.gov/subnet/> so that small businesses can identify opportunities in their areas of expertise. The use of SUB-Net fulfills the requirements set forth in Federal Acquisition Regulation (FAR) 5.206, *Notice of Subcontracting Opportunities*, for contractors and subcontractors to post notices and thereby increase competition for subcontracts. **If the apparent successful low bidder fails to submit an acceptable subcontracting plan with their bid package, that bidder may be ineligible for award of the contract.**

A list of currently known business concerns owned and controlled by socially and economically disadvantaged individuals and/or women-owned small business concerns that have indicated an interest in participating in highway construction is available at <http://www.ccr.gov>

Insurance requirements - See Subsection 107.05 of the FP-03.

BID BOND (See instructions on reverse)		DATE BOND EXECUTED (Must not be later than bid opening date)			OMB NO. 9000-0045	
Public reporting burden for this collection of information is estimated to average 25 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to the FAR Secretariat (MVR), Federal Acquisition Policy Division, GSA, Washington, D.C. 20405.						
PRINCIPAL (Legal name and business address)				TYPE OF ORGANIZATION (aX@ one)		
				<input type="checkbox"/> INDIVIDUAL <input type="checkbox"/> PARTNERSHIP <input type="checkbox"/> JOINT VENTURE <input type="checkbox"/> CORPORATION		
				STATE OF INCORPORATION		
SURETY(IES) (Name and business address)						
PENAL SUM OF BOND				BID IDENTIFICATION		
PERCENT OF BID PRICE	AMOUNT NOT TO EXCEED			BID DATE	INVITATION NO. DTFH68-12-B-00004, HI A-AD 6(7), Saddle Road- West Side	
	20 PERCENT	MILLION(S)	THOUSAND(S)	HUNDRED(S)	CENTS	FOR (Construction, Supplies or Services)
<p>OBLIGATION:</p> <p>We, the Principal and Surety(ies) are firmly bound to the United States of America (hereinafter called the Government) in the above penal sum. For payment of the penal sum, we bind ourselves, our heirs, executors, administrators, and successors, jointly and severally. However, where the Sureties are corporations acting as co-sureties, we, the Sureties, bind ourselves in such sum "jointly and severally" as well as "severally" only for the purpose of allowing a joint action or actions against any or all of us. For all other purposes, each Surety binds itself, jointly and severally with the Principal, for the payment of the sum shown opposite the name of the Surety. If no limit of liability is indicated, the limit of liability is the full amount of the penal sum.</p> <p>CONDITIONS:</p> <p>The Principal has submitted the bid identified above.</p> <p>THEREFORE:</p> <p>The above obligation is void if the Principal - (a) upon acceptance by the Government of the bid identified above, within the period specified therein for acceptance (sixty (60) days if no period is specified), executes the further contractual documents and gives the bond(s) required by the terms of the bid as accepted within the time specified (ten (10) days if no period is specified) after receipt of the forms by the principal; or (b) in the event of failure to execute such further contractual documents and give such bonds, pays the Government for any cost of procuring the work which exceeds the amount of the bid.</p> <p>Each Surety executing this instrument agrees that its obligation is not impaired by any extension(s) of time for acceptance of the bid that the Principal may grant to the Government. Notice to the surety(ies) of extension(s) are waived. However, waiver of the notice applies only to extensions aggregating not more than sixty (60) calendar days in addition to the period originally allowed for acceptance of the bid.</p> <p>WITNESS:</p> <p>The Principal and Surety(ies) executed this bid bond and affixed their seals on the above date.</p>						
PRINCIPAL						
SIGNATURE(S)	1. (Seal)		2. (Seal)		3. (Seal)	
NAMES(S) & TITLE(S) (Typed)	1.		2.		3.	
INDIVIDUAL SURETY(IES)						
SIGNATURE(S)	1. (Seal)			2. (Seal)		
NAME(S) (Typed)	1.			2.		
CORPORATE SURETY(IES)						
SURETY A	NAME & ADDRESS				STATE OF INC.	LIABILITY LIMIT \$
	SIGNATURE(S)	1.			2.	
	NAMES(S) & TITLE(S) (Typed)	1.			2.	

**Table 311-1
Sampling and Testing**

Material or Product	Property or Characteristic	Test Methods or Specifications	Frequency	Sampling Point
Subbase and Base courses	Gradation ⁽¹⁾ – Specified sieves	AASHTO T 11 and AASHTO T27	1 sample per 1,500 ton	Production output or Stockpile

⁽¹⁾ Statistical procedures do not apply.

Aggregate quality properties will be evaluated under Subsections 106.02 and 106.04.

Preparation of stockpile sites and construction of stockpiles will be evaluated under Subsections 106.02 and 106.04.

Measurement

311.06 Measure stockpiled aggregate by the ton by converting the stockpiled volume to tons at the rate of 1.55 tons per cubic yard in the stockpile.

Payment

311.07 The accepted quantities will be paid at the contract price per unit as listed in the bid schedule. Payment will be full compensation for the work prescribed in this section.

If the PTA Quarry is not used to produce aggregate materials for the project, the quantity of stockpiled aggregate materials required under the contract will be reduced to zero.

Delete Section 401 and substitute the following:

Section 401. – SUPERPAVE ASPHALT CONCRETE PAVEMENT

Description

401.01 This work consists of constructing one or more courses of asphalt concrete pavement using hot or warm mix asphalt (HMA or WMA).

The mix design method is designated as Superpave. Superpave HMA and WMA asphalt concrete pavement nominal maximum size aggregate size is designated as shown in Tables 401-1. Equivalent single axle loads (ESAL) or number of gyrations at design (N_{Design}) is designated as shown in Tables 401-1.

Aggregate grading is designated as shown in Table 703-4.

E-108

HI A-AD 6(7)
Saddle Road – West Side

A minimum of one percent lime is required in the asphalt concrete mixture.

Pavement roughness is type III for reconstructed and new road locations and type IV for overlay or milling with overlay locations, as shown in Subsection 401.16 .

Asphalt binder grade is PG 64-16. The Pressure Aging Vessel test temperature shall be 212°F.

A minimum of one percent lime is required in the Superpave hot asphalt concrete mixture.

Material

401.02 Conform to the following Subsections:

Aggregate	703.07
Antistrip additive	702.08
Asphalt binder	702.01
Mineral filler	725.05
Recycled asphalt pavement	703.19

Construction Requirements

401.03 Composition of Mix (Job-Mix Formula). Furnish mixes of aggregate, asphalt binder, recycled asphalt pavement (RAP), and additives that meet the applicable material requirements and the appropriate design parameters in Table 401-1 and are capable of being placed and compacted as specified.

Compact specimens with the gyratory effort corresponding to the design ESAL level of 0.3 to <3 million. Volumetric mix properties will be determined at N_{design} according to AASHTO T 312 and R 35. Use a gyratory compactor which meets the internal angle requirement according to AASHTO T 312.

If more than 1.0 percent hydrated lime is proposed in the JMF provide AASHTO T 283 tests results showing the additional lime is necessary to meet the minimum tensile strength ratio requirements in Table 401-1.

Apply all mix design requirements for HMA to the development of the WMA mix design. Submit modifications to the WMA technology according to the WMA Appendix of AASHTO R 35 for approval by the CO.